## SEQUENCE LISTING

<110>	CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE - CNRS	
<120>	Method of calibration of reverse transcription using a synthetic messenger RNA (smRNA) .	c
<130>	D21194	
	EP 03/290 958 2003-04-17	
<160>	18	
<170>	PatentIn version 3.2	
<210> <211> <212> <213>	161	
<220> <223>	Synthetic poly A mRNA #1	
uggcgg	aauug ggcccgacgu cgggacaaga agguggaaga cgucaugcuc ccggccgcca gccqc gggaauucga uuucuucgac ucacugcaga cuacugaugg aaugacguag	60 120 161
<210> <211> <212> <213>	161	
<220> <223>	Synthetic poly A mRNA #2	
uggcgg	cgacu cacuauaggg cgggacaaga agguggaaga cgucaugcuc ccggccgcca gccgc gggaauucga uuucuucgac ucacugcaga cuacugaugg aaugacguag	60 120 161
<210> <211> <212> <213>	161	
<220> <223>	Synthetic cDNA #1	
tageg	aattg ggcccgacgt cgggacaaga aggtggaaga cgtcatgctc ccggccgcca gccgc gggaattcga tttcttcgac tcactgcaga ctactgatgg aatgacgtag	60 120 161

<210> 4 <211> 161

<212> DNA <213> Artificial	
<220> <223> Synthetic cDNA #2	
<400> 4 - taatacgact cactataggg cgggacaaga aggtggaaga cgtcatgctc ccggccgccatggcggccgc gggaattcga tttcttcgac tcactgcaga ctactgatgg aatgacgtagtacgaatact cgactggtct caacatgaaa aaaaaaaaa a	60 j 120 161
<210> 5 <211> 19 <212> DNA <213> Artificial	
<220> <223> Primer III forward	
<400> 5 cgggacaaga aggtggaag	19
<210> 6 <211> 22 <212> DNA <213> Artificial	
<220> <223> Primer III reverse	
<400> 6 agtctgcagt gagtcgaaga aa	22
<210> 7 <211> 182 <212> DNA <213> Artificial	
<220> <223> Sequence of the DNA probe "DNAΣ"	
<400> 7 taatacgact cactataggg cgggacaaga aggtggaaga cgtcatgctc ccggccgccatggcggcgc gggaattcga tttcttcgac tcactgcaga ctactgatgg aatgacgtagtacgaatact cgactggtct caacatgaaa aaaaaaaaa acgcattcaa cctgtctgacta	120
<210> 8 <211> 20 <212> DNA <213> Artificial	
<220> <223> Sequence of the T7 promoter	
<400> 8 taatacgact cactataggg	20

<210> 9	
<211> 27	
<212> DNA	
<213> Artificial	
<220>	
<223> 27 pb insert	
<400> 9	27
cgggacaaga aggťggaaga cgtcatg	
<210> 10	
<211> 34	
<211> 34 <212> DNA	
<212> BNA <213> Artificial	
<213> Altilitat	
.220	
<220> <223> 34 bp from pGEM®-T Easy sequence	
<223> 34 DP IIOM PGEMI Basy sequence	
400 10	
<400> 10	34
ctcccggccg ccatggcggc cgcgggaatt cgat	
<210> 11	
<211> 101	
<212> DNA	
<213> Artificial	
<220>	
<223> 101 bp insert	
<400> 11	60
ttettegaet caetgeagae taetgatgga atgaegtagt acgaataete gaetggtete	101
aacatgaaaa aaaaaaaaaa cgcattcaac ctgtctgact a	
<210> 12	
<211> 39	
<212> DNA	
<213> Artificial	
<220> <223> Forward primer A containing the T7 promoter	
<223> Forward primer A containing the 17 promoter	
<400> 12	39
taatacgact cactataggg cgggacaaga aggtggaag	
<210> 13	
<211> 21	
<212> DNA	
<213> Artificial	
<220>	
<223> Reverse primer A	
400 00	
<400> 13	21
tagtgagaga ggttgaatgc g	

```
<210> 14
<211> 82
<212> DNA
<213> Artificial
<220>
<223> Amplified fragment from both synthetic cDNA #1 and cDNA #2 with
      primer pair III
<400> 14
                                                                         60
cgggacaaga aggtggaaga cgtcatgctc ccggccgcca tggcggccgc gggaattcga
tttcttcgac tcactgcaga ct
                                                                         82
<210> 15
<211> 20
<212> DNA
<213> Artificial
<220>
<223> Pair I: primer forward
<400> 15
                                                                        20
aattgggccc gacgtcgcat
<210> 16
<211> 20
<212> DNA
<213> Artificial
<220>
<223> Pair I: primer reverse
<400> 16
                                                                        20
catgttgaga ccagtcgagt
<210> 17
<211> 19
<212> DNA
<213> Artificial
<220>
<223> Pair II: primer forward
<400> 17
                                                                        19
cgggacaaga aggtggaag
<210> 18
<211> 20
<212> DNA
<213> Artificial
<220>
<223> Pair II: primer reverse
<400> 18
```

tcatgttgag accagtcgag

20